

PRODUCT DATASHEET SMART+ WIFI CUBE 50CM Post

SMART+ CUBE MULTICOLOR | Luminaires with WiFi technology



Areas of application

- General illumination
- Gardens
- Patios, balconies

Product benefits

- Easy and quick installation
- Colorful garden lighting with smart and intelligent control options
- Combines the functionality of general lighting and mood lighting

Product features

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via voice control available: Google Assistant or Amazon Alexa
- RGB color control, approx. 16 million color options adjustable
- Dimmable
- Color temperature: 3,000 K (Warm White)
- Network protocol: WiFiType of protection: IP44



TECHNICAL DATA

Electrical data

Nominal wattage	9.50 W
Nominal voltage	220240 V
Nominal current	45.1 mA
Mains frequency	5060 Hz
Power factor λ	> 0.5
Operating mode	Mains voltage


Photometrical data

Light color (designation)	RGBW
Standard deviation of color matching	< 6 sdcm
Nominal luminous flux	450 lm
Luminous flux	450 lm
Luminous efficacy	47 lm/W
Color temperature	3000 K
Color rendering index Ra	≥80

Light technical data

Beam angle	205.00 °
Starting time	< 0.5 s

Dimensions & Weight



Product weight	900.00 g
Length	120.00 mm
Width	120.00 mm

Height	500.00 mm		
Lifespan			
Number of switching cycles	12500		
Colors & materials			
Product color	Dark gray		
Housing color	Dark gray		
Body material	Aluminum		
Cover material	Polycarbonate (PC)		
Temperatures & operating conditions			
Ambient temperature range	-20+40 °C		
Additional product data			
Product remark	Reset settings to default by switching the product on for three seconds and off for three seconds and repeating this five times.		
Mounting location	Ground		
Capabilities			
Dimmable	Yes		
Type of connection	Terminal, 3-Pole (L, N, PE)		
Compatible smart home technology	Google Assistant / Amazon Alexa		
LED module replaceable	Not replaceable		
Certificates & Standards			
Standards	CE / EAC / REACH / RoHS		
Protection class	I		
Type of protection	IP44		
Energy labellling regulation data acc EU 2019/2015			
Displacement factor	0.70		

EQUIPMENT / ACCESSORIES

- Mounting screws and dowels included
- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

DOWNLOAD DATA

	DOWNLOAD DATA
POF	User instruction SMART OUTD WIFI CUBE
PDF	Declarations of conformity CE_SMART OUTD WIFI CUBE 50CM RGBW DG

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075478152	Folding box 1	125 mm x 125 mm x 510 mm	1037.00 g	7.97 dm³
4058075478169	Shipping box 2	530 mm x 270 mm x 145 mm	2582.00 g	20.75 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.