

LINEAR HIGH OUTPUT GEN2
















	EAN	L x W x H (mm)	W	K						IK
				3000K		4000K		6500K		
				lm	lm/W	lm	lm/W	lm	lm/W	
P-LN-1200-50W	4099854528729	1168x65x74mm	50W	7000	140	7500	150	7500	150	08
P-LN-1500-70W	4099854528743	1458x65x74mm	70W	9800	140	10500	150	10500	150	08





	EAN	Temp (°C)	V _{AC}	Hz	Beam angle	PF	R _a	Weight
P-LN-1200-50W	4099854528729	-20...+50°C	220-240 V	50/60 Hz	120°	> 0.95	≥ 80	1.16 kg
P-LN-1500-70W	4099854528743	-20...+50°C	220-240 V	50/60 Hz	120°	> 0.95	≥ 80	1.41 kg



LINEAR HIGH OUTPUT GEN2







⚠ WARNINGS AND CAUTIONS

- The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France

☎ LEDVANCE MIDDLE EAST FZE
Office No. LB04013
PO Box 17476, Jebel Ali Free Zone
Dubai, United Arab Emirates
Tel.: +971 4 881 37 67
Fax: +971 4 881 37 69

☎ LEDVANCE South Africa (Pty) Ltd
Midrand, 1683, RSA
Tel: +27 11 207-5600

Ledvance Egypt for Commercial Investment
New Cairo, Cairo- Egypt.



C10449057
G11226449
2025-02-25

www.ledvance.com