








# LED VALUE DOWNLIGHT MODULE ALU






Size	Model Name	W	CCT	VDC	Input Current	Ra	Ø x H (mm)	Ta	
5"	P-DLM-R50-DF-TRI8	15W	3000K/ 4000K/ 6500K Selectable	32-36V	350mA	Ra >80	Ø145X58	-20...+50°C	121g
6"	P-DLM-R60-DF-TRI8	20W		32-36V	500mA	Ra >80	Ø174X65	-20...+50°C	163g
8"	P-DLM-R80-DF-TRI8	35W		32-36V	900mA	Ra >80	Ø232X77	-20...+50°C	295g

LED VALUE DOWNLIGHT MODULE ALU

Diffusor version





## WARNING:

- Connect to the power supply in accordance with national regulations.
- This product is designed for Indoor use only.
- This product is to be installed by a licensed electrician in strict accordance with local wiring rules.
- Please note that the fixture is equipped with standard surge protection only. To protect the fixture from sags, surges and lighting strikes, additional surge protectors must be deployed on the primary side.
- The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced.
- The external flexible cable or cord of this luminaire cannot be replaced; if the cord is damaged, the luminaire shall be destroyed.
- For luminaires that are classified as class III, an indication that the controlgear shall be SELV only is required.
- Drive maximum output must not exceed 50V.
- Terminal block not included. Installation must be performed by a qualified person.



Caution,  
risk of electric shock!

Ⓜ LEDVANCE Pvt. Ltd.,  
1201 – 1202, 12th Floor, Signature Towers, Tower – A,  
South City –I, Gurugram – 122001, Haryana (India)  
Consumer care cell (Name and address as per above),  
Consumer care Tel.No. 0124-4150100  
Toll Free Number – 18001026258  
E-mail Id: customercare@ledvance.com  
www.ledvance.in

Ⓜ LEDVANCE Prosperity Co., Ltd.  
20/F, Cornell Centre, 50 Wing Tai Rd.,  
Chai Wan, Hong Kong


Ⓜ LEDVANCE Pte. Ltd.  
320 Serangoon Road #14-02,  
Centrium Square 218108, Singapore.  
Phone +65 6911 8260

Ⓜ LEDVANCE Sdn. Bhd. (1166537-U)  
100.7.009, 129 Offices, Block J, Jaya One  
No. 72A, Jalan Universiti,  
46200 Petaling Jaya,  
Selangor Darul Ehsan, Malaysia

Ⓜ (주)레드벤처  
서울시 강남구 삼성로 554 예성빌딩 6층  
(우편번호 06165)  
전화번호: +82 80 489 1700  
www.ledvance.co.kr

Ⓜ LEDVANCE MIDDLE EAST FZE  
Office No. LB040123  
PO Box 17476, Jebel Ali Free Zone  
Dubai, United Arab Emirates  
Tel.: +971 4 881 37 67  
Fax: +971 4 881 37 69

Ⓜ LEDVANCE Pty Ltd  
ABN 34 050 103 181  
Unit 3, 83 Derby Street Silverwater,  
NSW, 2128, Australia  
Ph +61 29481 8399/1300 467 726  
www.ledvance.com.au



Luminaires not suitable  
for covering with thermally  
insulating material.

Conformance to:  
IEC 60598-1

IP20  
IP40



TIS 1955-2551

C10449057  
G11197928  
2024-05-17

www.ledvance.com