

LEDVANCE.COM



LEDVANCE



URBAN WALL VARIO

DESIGN MEETS FUNCTIONAL LIGHT

POWERED THROUGH MODERN
FAÇADE ILLUMINATION

THE NEW

THE URBAN WALL VARIO RANGE



**FLEXIBLE, ROBUST AND
STYLISH ILLUMINATION FOR
EVERY FAÇADE**

URBAN WALL VARIO transforms any façade into a striking visual statement. With precisely controlled up- and downlighting, it highlights architectural features, creates atmosphere, illuminates entrances and emphasises the textured surfaces of residential and commercial buildings.



Its sleek, understated design comes in round or square shapes and powder-coated grey or black colour, allowing it to blend seamlessly with any façade. Combined with high-quality, weather-resistant materials, it ensures long-lasting performance and effortless integration into diverse architectural environments.

URBAN WALL VARIO delivers light that not only illuminates but also enriches outdoor spaces with atmosphere and character.



**PERFOR-
MANCE
CLASS**



YOUR BENEFITS AT A GLANCE

+ **FLEXIBLE LIGHT DISTRIBUTION:** up, down, or both – perfect for accentuating architectural features, interchangeable reflectors included (30° or 55° beam angles)

+ **INDUSTRIAL DESIGN EXCELLENCE:** closed, sleek form in round or square, available in grey (similar RAL7022) and black (similar RAL9017)

+ **ROBUST OUTDOOR SOLUTION:** premium, weather-resistant aluminium housing with C4 corrosion protection, IP65/IK08 rated, operable in ambient temperature range -40 °C to 45 °C (DALI -20 °C to 45 °C)

+ **ENERGY-EFFICIENT & SMART:** MULTI LUMEN and MULTI COLOUR functions, optional daylight detection (DALI version with DALI-2 dimming and MULTI COLOUR)

+ **LONG LIFESPAN & RELIABLE:** Up to 100 000 hours (L70/B10) with a 5-year guarantee, built to withstand harsh environments


URBAN WALL VARIO
SQUARE GREY
similar RAL7022




URBAN WALL VARIO ROUND
BLACK similar RAL9017

INTUITIVE SETTINGS FOR PERFECT LIGHTING RESULTS


Every façade is different – and URBAN WALL VARIO adapts effortlessly. Hidden slider switches on the luminaire allow you to define beam direction, colour temperature and lumen levels directly on site during and even after installation. Clear markings on the housing guide you, while the sealed design preserves the sleek appearance of the luminaire.



LIGHT DIRECTION SWITCH: Adjustable upward, downward or dual beams create expressive highlights, emphasise façade texture and depth, and enhance the architectural impact.



MULTI COLOUR & MULTI LUMEN SWITCHES: Two side switches allow selection of colour temperatures (2200 K or 2700 K; 3000 K or 4000 K, depending on version) and lumen levels* (100 %, 75 %, 50 % – for ML versions)




NIGHT SENSOR/DAYLIGHT DETECTION (ML VERSIONS): Automatically switches the luminaire ON below 35 lx and OFF above 95 lx. Manual mode can be selected to keep the luminaire on continuously.


*See user instructions for exact lumen tables

EFFORTLESS INSTALLATION VIA CLEVER DESIGN

URBAN WALL VARIO is made for an easy installation and flexible configuration, according to application needs. Mountable in either direction thanks to the easily adjustable light direction switch, electrical wiring is also effortless thanks to the practical piano key terminal and snap-in connectors.



WELL PROTECTED:
Stainless steel screws can be given extra protection against the elements via included rubber stoppers



**CORROSION
RESISTANCE C4**

INTERCHANGEABLE REFLECTORS –
Pre-installed 55° reflectors can be swapped for 30° reflectors, included with each luminaire




BREATHER VALVE – reduces moisture build-up. Can be exchanged with an M20 PG breather-gland (included accessory) for external wiring



REPLACEABLE CAP: Aluminium cap included to replace the transparent plastic cap if the Night & Day sensor is not needed



**PIANO KEY
TERMINAL**
provides fast, easy and reliable wiring during installation




**SNAP-IN
CONNECTORS**
for quick and secure connection

ALUMINIUM HOUSING
grey or black can be mounted in both directions




**DUAL CABLE
ENTRIES** allows through-wiring for versatile installation

FOAM PADS
for secure mounting on uneven surfaces




BEAM ANGLE FLEXIBILITY


Two interchangeable and included reflectors aid in achieving different lighting effects: The pre-installed 55° reflector provides a wide, soft light distribution, while the additional 30° reflector delivers a more accentuating beam. This allows the light effect to be tailored to the architectural setting and the desired ambience.



Interchangeable reflectors




55° reflector – wide, soft distribution



30° reflector – more narrow beam

WHERE ARCHITECTURE COMES ALIVE THROUGH LIGHT

HOTEL ENTRANCE



Warm, inviting light frames the entrance, creating a sense of arrival and instantly welcoming guests with elegance and style.

MODERN OFFICE



Balanced up- and downlight guides visitors naturally while accentuating the modern façade, blending functionality with visual sophistication.

MODERNISED HISTORIC BUILDING



Warm up- and downlight celebrates the texture of historic brickwork while complementing modern glass elements, merging heritage with contemporary design.

RESIDENTIAL COMPLEX



Cool-white downward lighting highlights entrances and walkways, creating safe, calm and harmonious outdoor spaces for residents.

INDUSTRIAL OFFICE ARCHITECTURE



Sharp beams and contrasting angles sculpt the façade, emphasising structure and imparting a dynamic, contemporary character.

ABOUT LEDVANCE

With business activities in over 140 countries, LEDVANCE is one of the world's leading general lighting companies. Emerging from OSRAM's general lighting division, LEDVANCE's portfolio includes LED lamps and luminaires, intelligent lighting products, traditional lamps and renewable energy solutions.

#POWERTHROUGHLIGHT

LEDVANCE

LEDVANCE GmbH
Parking 1-5
85748 Garching
Germany

URBAN WALL VARIO FAMILY

PERFORMANCE
CLASS



1



2



3



4

Product name	EAN (GTIN)	Repla- cement for	W	lm	lm/W	K	L80 ¹					L × W × H [mm] Ø × H [mm]																																																																																																																																																																																																																																																																																																																																																																																																																																				
URBAN WALL VARIO – Highly versatile, decorative wall luminaire with upward and/or downward light emission, for outdoor use																																																																																																																																																																																																																																																																																																																																																																																																																																																

¹ t[h]: L70/B50 @ 25 °C (T_a)/t[h]: L80/B10 @ 25 °C (T_a)

² Refer to www.ledvance.com/guarantee for precise conditions

WOULD YOU LIKE MORE INFORMATION?

Does your project require something not shown?
LEDVANCE Project Services can create lighting
solutions to fit your specific needs.
Get in touch: contact@ledvance.com

Visit ledvance.com to discover more technical
details on the product range.



LEDVANCE.COM