

LUM – Technical Information

**Professional Decorative
Outdoor Lighting**



Tender text

- Compact bollard luminaire for pathways
- Design matching to TARTUGA family for aesthetically appealing installations
- Body and protecting grid made from aluminium die-cast
- Finishing in high corrosion resistant powder coating
- All Outside screws in stainless steel
- Pressed closing glass with silicone gasket
- IP55: protected against dust and water jets, ideal for marinas, coastal areas, parks,
- Safety class I


Table of contents:

Tender text.....	1
A) Technical Information	2
1) Housing, Mounting and Accessories	2
2) Electrical Installation	3
3) Optical features	3
B) Logistic Data.....	4

A) Technical Information

1) Housing, Mounting and Accessories

Product name	ORTASA®
Body + protection grid material	Aluminium Die-Cast
Color of the luminaire (RAL)	Black RAL 9011, Forge Gray
Cover material	Pressed closing glass with silicone gasket
Reflector	Polished aluminium sheet
Adjustable	No
Number of lighting outlets	1
Height h [mm]	315
Depth l [mm]	225
Mounting dimension b [mm]	142
Net weight [g]	3 488




Product name	ORTASA®
Protection class	I
Type of protection (IP code)	IP55
Protection against ignition and fire	F
Approval marks	CE

2) Electrical Installation


Product name	ORTASA®
Nominal wattage [W]	max. 18 W CFL / max. 53 W HALOGEN CLASSIC A
Mains voltage [V]	220–240
Mains frequency [Hz]	50–60

3) Optical features

Product name	ORTASA®
Equipped with Lamp	No
Number of lamp	1
Lamp type	See logistic data for recommended Osram lamps
EAN	See logistic data for recommended Osram lamps
Base	E27



DSST STICK 11 W



HALOGEN CLASSIC AECO 53 W

B) Logistic Data

Product reference	Color	EAN	SU
ORTASA BK 53W CFL/A ECO	Black	4008321605498	1x1
ORTASA FG 53W CFL/A ECO	Forge Grey	4008321605504	1x1

• Logistic data for recommended OSRAM lamps

Lamp name	Wattage	EAN
DINT FCY 10W/825 E27	10 W	4008321126290
DSST STICK 11W/825 E27	11 W	4008321942920
DST MINI TWIST 13W/825 E27	13 W	4008321293985
DST MINI TWIST 18W/825 E27	18 W	4008321294029
64541 HALOGEN CLASSIC A ECO	18 W	4008321927163
64542 HALOGEN CLASSIC A ECO	28 W	4008321211828
64543 HALOGEN CLASSIC A ECO	42 W	4008321212078
64544 HALOGEN CLASSIC A ECO	53 W	4008321403315