



Product Service

# Attestation of Conformity

No. E8A 18 01 95688 163

**Holder of Certificate:** LEDVANCE GmbH

Steinerne Furt 62  
86167 Augsburg  
GERMANY

**Name of Object:** Fixed general purpose luminaires  
(LED Ceiling Lamp)

**Model(s):** GPX1YY083x-22-yy-LW, GPX1YY083x-23-yy-LW,  
GPX1YY083x-25-yy-LW, GPX1YY083x-26-yy-LW,  
GPX1YY093x-22-yy-LW, GPX1YY093x-23-yy-LW  
“YY” stands for dimension of lampshade,  
which can be 19-56. “x” stands for CCT,  
which can be 0-3; “yy” stands for lampshade  
appearance, which can be 01-99 or ‘YL’, ‘AX’,  
‘JJ’, ‘ZS’, ‘JA’, ‘SS’.  
(See page 2-4 for more models details.)

**Description of Object:**

Rated voltage: 220-240V~  
Rated frequency: 50/60Hz  
Rated power: See page 2-4  
Protection class: I

**Tested according to:**

EN 55015:2013/A1:2015  
EN 61547:2009  
EN 61000-3-2:2014  
EN 61000-3-3:2013

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

**Test report no.:** 64740180045901



**Date,** 2018-01-31 ( Tony Liu )

**CE** After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. E8A 18 01 95688 163

No.	Model name	Rated wattage
1	GPX1YY083x-22-yy-LW	8W
	GPX1YY083x-23-yy-LW	8W
	GPX1YY083x-25-yy-LW	8W
	GPX1YY083x-26-yy-LW	8W
	GPX1YY093x-22-yy-LW	9W
	GPX1YY093x-23-yy-LW	9W
	GPX1YY093x-25-yy-LW	9W
	GPX1YY093x-26-yy-LW	9W
	GPX1YY103x-22-yy-LW	10W
	GPX1YY103x-23-yy-LW	10W
	GPX1YY103x-25-yy-LW	10W
	GPX1YY103x-26-yy-LW	10W
	GPX1YY123x-22-yy-LW	12W
	GPX1YY123x-23-yy-LW	12W
	GPX1YY123x-25-yy-LW	12W
	GPX1YY123x-26-yy-LW	12W
	GPX1YY123x-30-yy-LW	12W
	GPX1YY133x-22-yy-LW	13W
	GPX1YY133x-23-yy-LW	13W
	GPX1YY133x-25-yy-LW	13W
	GPX1YY133x-26-yy-LW	13W
	GPX1YY133x-30-yy-LW	13W
	GPX1YY183x-30-yy-LW	18W
	GPX1YY183x-35-yy-LW	18W
	GPX1YY203x-30-yy-LW	20W
	GPX1YY203x-35-yy-LW	20W
GPX1YY233x-30-yy-LW	23W	
GPX1YY233x-35-yy-LW	23W	
GPX1YY243x-35-yy-LW	24W	
2	GPX1YY083x-22-yy-L	8W
	GPX1YY083x-23-yy-L	8W
	GPX1YY083x-25-yy-L	8W
	GPX1YY083x-26-yy-L	8W



Product Service

# Attestation of Conformity

No. E8A 18 01 95688 163

	GPX1YY093x-22-yy-L	9W
	GPX1YY093x-23-yy-L	9W
	GPX1YY093x-25-yy-L	9W
	GPX1YY093x-26-yy-L	9W
	GPX1YY103x-22-yy-L	10W
	GPX1YY103x-23-yy-L	10W
	GPX1YY103x-25-yy-L	10W
	GPX1YY103x-26-yy-L	10W
	GPX1YY123x-22-yy-L	12W
	GPX1YY123x-23-yy-L	12W
	GPX1YY123x-25-yy-L	12W
	GPX1YY123x-26-yy-L	12W
	GPX1YY123x-30-yy-L	12W
	GPX1YY133x-22-yy-L	13W
	GPX1YY133x-23-yy-L	13W
	GPX1YY133x-25-yy-L	13W
	GPX1YY133x-26-yy-L	13W
	GPX1YY133x-30-yy-L	13W
	GPX1YY183x-30-yy-L	18W
	GPX1YY183x-35-yy-L	18W
	GPX1YY203x-30-yy-L	20W
	GPX1YY203x-35-yy-L	20W
	GPX1YY233x-30-yy-L	23W
	GPX1YY233x-35-yy-L	23W
	GPX1YY243x-35-yy-L	24W
	GPX1YY243x-40-yy-L	24W
3	GPX2YY093x-19-yy-L	9W
	GPX2YY093x-25-yy-L	9W
	GPX2YY103x-19-yy-L	10W
	GPX2YY103x-25-yy-L	10W
	GPX2YY123x-25-yy-L	12W
	GPX2YY133x-25-yy-L	13W
	GPX2YY183x-30-yy-L	18W
	GPX2YY183x-35-yy-L	18W
	GPX2YY203x-30-yy-L	20W



Product Service

# Attestation of Conformity

No. E8A 18 01 95688 163

	GPX2YY233x-35-yy-L	23W
	GPX2YY233x-40-yy-L	23W
	GPX2YY243x-35-yy-L	24W
	GPX2YY243x-40-yy-L	24W
4	GPX1YY083x-20G-yy-L	8W
	GPX1YY093x-20G-yy-L	9W
	GPX1YY103x-20G-yy-L	10W
	GPX1YY123x-25G-yy-L	12W
	GPX1YY133x-25G-yy-L	13W
5	SF CIRCULAR 350 18W/3000K	18W
	SF CIRCULAR 350 18W/4000K	18W
	SF CIRCULAR 400 24W/3000K	24W
	SF CIRCULAR 400 24W/4000K	24W
	SF CIRCULAR 250 13W/3000K	13W
	SF CIRCULAR 250 13W/4000K	13W
<p>Remark:  "YY" stands for dimension of lampshade, which can be 19-56.  "x" stands for CCT, which can be 0-3;  "yy" stands for lampshade appearance, which can be 01-99 or 'YL', 'AX', 'JJ', 'ZS', 'JA', 'SS'.</p>		

Test report no.: 64740180045901  
Date, 2018-01-31