

# PRODUCT DATASHEET 100 14 W/2700 K E27

SMART+ WiFi Classic Tunable White (APM) | Classic bulb shape with WiFi technology



### Areas of application

- General illumination
- Residential interiors
- Professional (hotels, bars, boutiques etc.)
- Outdoor applications only in suitable luminaires

## Product benefits

- Wireless control via app
- Easy to install and use
- Contains no mercury

#### Product features

- Controllable via LEDVANCE SMART+ App (with minimum Android 8.0 or iOS 14.0)
- Controllable via Google Assistant and Amazon Alexa possible
- Network protocol: WiFi
- Adjustable light color via Tunable White: Warm White to Cool White (2,700 K...6,500 K)
- Dimmable
- Lifetime: up to 15,000 h



## **TECHNICAL DATA**

## Electrical data

| Nominal wattage                        | 14 W     |
|----------------------------------------|----------|
| Construction wattage                   | 14.00 W  |
| Nominal voltage                        | 220240 V |
| Operating frequency                    | 5060 Hz  |
| Mains frequency                        | 5060 Hz  |
| Claimed equiv. conventional lamp power | 100 W    |

## Photometrical data

| Light color (designation) | Tunable White |
|---------------------------|---------------|
| Nominal luminous flux     | 1500 lm       |
| Luminous flux             | 1500 lm       |
| Luminous efficacy         | 107 lm/W      |
| Color temperature         | 2700 K        |
| Color rendering index Ra  | 80            |

# Dimensions & Weight

| Product weight     | 108.00 g  |
|--------------------|-----------|
| Diameter           | 75.00 mm  |
| Length             | 141.50 mm |
| Width              | 75.00 mm  |
| Height             | 75.00 mm  |
| Outer bulb [PICOS] | -         |

# Lifespan

| Number of switching cycles | 100000  |
|----------------------------|---------|
| Lifespan                   | 15000 h |

# Temperatures & operating conditions

| Ambient temperature range | -10+40 °C |
|---------------------------|-----------|
|---------------------------|-----------|

## Additional product data

| Mercury-free                | Yes                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product remark              | All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value |
| Base (standard designation) | E27                                                                                                                                                                                                                                                                                                                                          |

## Capabilities

| Dimmable | Yes |
|----------|-----|

### Energy labelling regulation data acc EU 2019/2015

| Light source cap-type (or other electric interface) | E27 |
|-----------------------------------------------------|-----|

## **EQUIPMENT / ACCESSORIES**

- For control via LEDVANCE SMART+ App, a smartphone or tablet is required (with minimum Android 8.0 or iOS 14.0)

#### **LOGISTICAL DATA**

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume               |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075485037 | Folding box<br>1             | 80 mm x 80 mm x 148 mm               | 140.00 g     | 0.95 dm <sup>3</sup> |
| 4058075485044 | Shipping box<br>10           | 408 mm x 168 mm x 160 mm             | 1520.00 g    | 10.97 dm³            |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

- Further information and frequently asked questions (FAQs) at www.ledvance.com/consumer/smart/faq

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.