

PRODUCT DATASHEET

LDP HB TRI MOTION SENSOR

TRI COLOUR MULTI WATTAGE HIGHBAY ACCESSORIES | High-bay luminaires

□

Areas of application

- Industrial and commercial halls
- Warehouses
- Public areas (stations, stadiums)
- Airports

403 Forbidden

TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|---------|
| Diameter | 56 mm |
| Height | 28 mm |
| Product weight | 30.00 g |

LDP HB TRI SENSOR

Application & Mounting

| | |
|---------------------------|--------------|
| Ambient temperature range | -30...+50 °C |
| Mounting location | Luminaire |

Lifespan

| | |
|---------------------------|---------|
| Lifespan L90/B10 at 25 °C | 50000 h |
|---------------------------|---------|

Sensor

| | |
|--|-----------------|
| Type of sensor | Motion |
| Sensor technology | Microwave |
| Sensor controlled switching time | 10 s ... 30 min |
| Detection range of motion sensor | 6...15 m |
| Detection threshold of daylight sensor | 10...100 lx |

Additional product data

| | |
|-------------|----|
| BEG subsidy | No |
|-------------|----|

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4099854118197 | Folding box 1 | 58 mm x 58 mm x 41 mm | 41.00 g | 0.14 dm ³ |
| 4099854118203 | Shipping box 50 | 315 mm x 135 mm x 232 mm | 2290.00 g | 9.87 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

403 Forbidden

403 Forbidden