

# PRODUCT DATASHEET

## LED ECO LITE DAMP PROOF HOUSING SE1200

LED ECO LITE DAMP PROOF HOUSING | Damp-proof luminaires

---

### Areas of application

- Industrial and storage facilities
- Car parks and underpasses
- Garages
- Workshops, assembly lines



---

### Product benefits

- UV-stabilized polycarbonate opal diffuser for uniform light distribution and long durability
- Polycarbonate body and diffuser offers IK08 impact protection
- VDE certified components ensure product reliability

---

### Product features

- Class II luminaire
- Two versions for IEC62776 single ended LED tubes and double ended LED tubes
- PG13.5 cable gland
- Classic design with PC body and PC diffuser
- Type of protection: IP65
- Impact resistance: IK08

## TECHNICAL DATA

### Dimensions & Weight

|                |            |
|----------------|------------|
| Length         | 1277.00 mm |
| Width          | 109.00 mm  |
| Height         | 67.00 mm   |
| Product weight | 1031.00 g  |



LED ECO LITE DP HOUSING

### Materials & Colors

|               |         |
|---------------|---------|
| Product color | Gray    |
| Housing color | Gray    |
| Body material | Plastic |


### Application & Mounting

|                         |                   |
|-------------------------|-------------------|
| Dimmable                | No                |
| Mounting type           | Surface/Suspended |
| Application environment | Indoor            |

### Additional product data

|              |    |
|--------------|----|
| BEG eligible | No |
|--------------|----|

## DOWNLOAD DATA

| Documents and certificates  | Document name                      |
|---|------------------------------------|
|  User Instruction / Safety Instructions | LDE LITE DP SE 1200 2XLAMP HOUSING |

## LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4099854110320 | Folding box<br>1             | 112 mm x 69 mm x 1,279 mm            | 1099.00 g    | 9.88 dm <sup>3</sup>  |
| 4099854110337 | Shipping box<br>8            | 1,300 mm x 240 mm x 305 mm           | 9872.00 g    | 95.16 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.