

PRODUCT DATASHEET

HB PC REFRACTOR 415

HIGH BAY REFRACTOR GEN 5 | Refractors for HIGH BAY GEN 5 luminaires



PERFOR-
MANCE
CLASS

Product features

- High quality polycarbonate refractor
- HB ALU REFRACTOR 415 suitable for HB P 75W versions (On-Off and DALI)
- HB ALU REFRACTOR 500 suitable for HB P 150W and HB P 200W versions (On-Off and DALI)




TECHNICAL DATA

Photometrical data

| | |
|-------------|------|
| Low flicker | Yes |
| Beam angle | 70 ° |

Dimensions & Weight

| | |
|----------------|-----------|
| Diameter | 413.00 mm |
| Height | 205 mm |
| Product weight | 700.00 g |



HB PC REFRACTOR 415



Materials & Colors




| | |
|---------------|--------------------|
| Product color | Transparent |
| Body material | Polycarbonate (PC) |

Application & Mounting

| | |
|-------------------|-----------|
| Mounting type | Surface |
| Mounting location | Luminaire |

DOWNLOAD DATA

| Documents and certificates | | Document name |
|--|--|---------------|
|  | User instruction / safety instructions | HB ACC UI |
|  | User instruction / safety instructions | HB ACC |

| Documents and certificates | | Document name |
|--|---------------------------------|---------------------------------|
|  | Declarations of conformity | HIGHBAY P |
|  | Declarations of conformity UKCA | HIGHBAY P |
| Tender texts | | Document name |
|  | Tender documents | HIGH BAY REFRACTOR GEN 5 415-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075844605 | BAG 1 | 670 mm x 650 mm | 705.00 g | |
| 4058075844612 | Shipping box 2 | 432 mm x 432 mm x 261 mm | 2602.00 g | 48.71 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.