

PRODUCT DATASHEET LED VALUE CLAS A 9 W/4000 K E27 GEN2

LED VALUE CLASSIC A | LED lamps, classic bulb shape



Areas of application

- Domestic applications
- General illumination
- Outdoor applications only in suitable luminaires

Product benefits

- No "Blue Light" Hazard (according to IEC62778)
- Photobiological safety according to IEC 62778, risk group RG0
- Energy savings of up to 85 % (compared to traditional incandescent lamps)
- Instant 100 % light, no warm-up time
- No UV and near-IR radiation in the light beam
- Reliable operation thanks to brand quality

Product features

- Color rendering index R_a ; ≥ 80
- Not dimmable
- Mercury-free lamps



September 11, 2025, 05:23:18 LED VALUE CLAS A 9 W/4000 K E27 GEN2

TECHNICAL DATA

Electrical data

Nominal wattage	9 W
Construction wattage	9.00 W
Nominal voltage	100240 V
Claimed equiv. conventional lamp power	60 W
Nominal current	55 mA
Type of current	AC
Operating frequency	50/60 Hz
Mains frequency	50/60 Hz
Power factor λ	> 0.70

Photometrical data

Luminous flux	806 lm
Nominal useful luminous flux 90°	806 lm
Luminous efficacy	89 lm/W
Lumen main.fact.at end of nom.life time	0.70
Light color (designation)	Cool White
Color temperature	4000 K
Color rendering index Ra	80
Light color	840
Standard deviation of color matching	≤6 sdcm

Light technical data

Beam angle	200 °
Starting time	< 0.5 s

Dimensions & Weight

Overall length	108.00 mm
Diameter	60.00 mm
Maximum diameter	60 mm
Product weight	23.7 g

Temperatures & operating conditions

	Ambient temperature range	-20+40 °C
--	---------------------------	-----------

Lifespan

Dimmable No Certificates & Standards IP20 Type of protection IP20 Country-specific categorizations IV CLA 9W/84010 Order reference LV CLA 9W/84010 LOGISTICAL DATA -20+80 °C		
Base (standard designation) E27 Mercury content 0.0 mg Mercury-free Yes Capabilities No Dimmable No Certificates & Standards P20 Country-specific categorizations LV CLA 9W/84010 CodiSTICAL DATA -20+80 °C Feregy labelling regulation data acc EU 2019/2015 -	Number of switching cycles	15000
Base (standard designation) E27 Mercury content 0.0 mg Mercury-free Yes Capabilities No Dimmable No Certificates & Standards P20 Country-specific categorizations LV CLA 9W/84010 CodiSTICAL DATA -20+80 °C Feregy labelling regulation data acc EU 2019/2015 -	Additional product data	
Mercury content 0.0 mg Mercury content Yes Capabilities No Dimmable No Certificates & Standards P20 Country-specific categorizations VCLA 9W/84010 Order reference LV CLA 9W/84010 CogiSTICAL DATA -20+80 °C Energy labelling regulation data acc EU 2019/2015 -		
Mercury-free Yes Capabilities No Dimmable No Certificates & Standards IP20 Country-specific categorizations IV CLA 9W/84010 CodiSTICAL DATA LV CLA 9W/84010 Temperature range at storage -20+80 °C	Base (standard designation)	E27
Capabilities Dimmable No Certificates & Standards Type of protection IP20 Country-specific categorizations Order reference LV CLA 9W/84010 COGISTICAL DATA Temperature range at storage -20+80 °C	Mercury content	0.0 mg
Dimmable No Certificates & Standards IP20 Type of protection IP20 Country-specific categorizations LV CLA 9W/84010 Codes reference LV CLA 9W/84010 LOGISTICAL DATA -20+80 °C Energy labelling regulation data acc EU 2019/2015 -20+80 °C	Mercury-free	Yes
Certificates & Standards IP20 Type of protection IP20 Country-specific categorizations UV CLA 9W/84010 Order reference LV CLA 9W/84010 LOGISTICAL DATA -20+80 °C Energy labelling regulation data acc EU 2019/2015 -20+80 °C	Capabilities	
Type of protection IP20 Country-specific categorizations UV CLA 9W/84010 Order reference LV CLA 9W/84010 LOGISTICAL DATA -20+80 °C Temperature range at storage -20+80 °C	Dimmable	No
Country-specific categorizations Order reference LV CLA 9W/84010 LOGISTICAL DATA Temperature range at storage -20+80 °C Energy labelling regulation data acc EU 2019/2015	Certificates & Standards	
Order reference LV CLA 9W/84010 LOGISTICAL DATA -20+80 °C Temperature range at storage -20+80 °C	Type of protection	IP20
LOGISTICAL DATA Temperature range at storage -20+80 °C Energy labelling regulation data acc EU 2019/2015	Country-specific categorizations	
Temperature range at storage -20+80 °C Energy labelling regulation data acc EU 2019/2015 -20+80 °C	Order reference	LV CLA 9W/84010
Energy labelling regulation data acc EU 2019/2015	LOGISTICAL DATA	
	Temperature range at storage	-20+80 °C
Light source cap-type (or other electric interface) E27	Energy labelling regulation data acc EU 2019/2015	
	Light source cap-type (or other electric interface)	E27

Light source cap-type (or other electric interface)	E27
Length	108.00 mm
Height	60.00 mm
Width	60.00 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854021206	Folding box 1	60 mm x 60 mm x 110 mm	39.00 g	0.40 dm ³
4099854021213	Shipping box 10	315 mm x 132 mm x 124 mm	471.00 g	5.16 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.