

PRODUCT DATASHEET

HALOPAR 20 50 W 110...130 V 30° E27

HALOPAR® 20 E27 | Halogen lamps with parabolic reflector PAR20, with E27 screw base



Areas of application

- General illumination
- Kitchen lighting
- Dining table lighting
- Object lighting
- Accent lighting
- Shops
- Restaurants, hotels and similar prestigious applications

Product benefits

- Brilliant accent light
- With whole glass reflector for brilliant lighting effects
- Instant 100 % light, no warm-up time
- Approved for use in open luminaires (to IEC 60598-1)
- Contains no mercury
- UV filter

Product features

- Average life: 2,000 h
- 100 % dimmable
- Perfect color rendering ($R_a: 100$)
- Color temperature: 2,800 K

TECHNICAL DATA

Electrical data

Nominal wattage	50 W
Construction wattage	50.00 W
Nominal voltage	110...130 V

Photometrical data

Luminous intensity	550 cd
Light color (designation)	Warm White
Color temperature	2800 K
Color rendering index Ra	100
Light color	1028

Light technical data

Beam angle	30 °
Starting time	0 s

Dimensions & Weight

Overall length	90.00 mm
Diameter	64.5 mm
Product weight	107.00 g

Additional product data

Base (standard designation)	E27
Mercury-free	Yes
Design / version	Reflector
Product remark	Not suitable for outdoor use or damp conditions / Banned from 1.9.2016 as per EU phase-out plan

Capabilities

Dimmable	Yes
Burning position	Any

Country-specific categorizations

ILCOS	HAGS/UB-50-120-E27-64,5/30
Order reference	64832 FL

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	91.00 mm

Height	64.5 mm
Width	64.5 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300897530	Blister 1	185 mm x 89 mm x 65 mm	112.00 g	1.07 dm ³
4050300897547	Shipping box 20	383 mm x 330 mm x 215 mm	2840.00 g	27.17 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.