

PRODUCT DATASHEET DULUX MTW 8 W/827 E14

OSRAM DULUX® SUPERSTAR MINI TWIST | Compact fluorescent integrated for household applications





TECHNICAL DATA

Electrical data

| Nominal wattage | 8 W |
|----------------------|----------|
| Construction wattage | 8.00 W |
| Nominal voltage | 220240 V |
| Nominal current | 80 mA |
| Operating frequency | 5060 Hz |
| Mains frequency | 5060 Hz |

Photometrical data

| Luminous flux | 430 lm |
|--------------------------|--------|
| Color temperature | 2700 K |
| Color rendering index Ra | ≥80 |
| Light color | 827 |

Dimensions & Weight

| Overall length | 95.00 mm |
|----------------|----------|
| Diameter | 41.00 mm |
| Product weight | 45.00 g |

Additional product data

| Base (standard designation) | E14 |
|-----------------------------|--------|
| Mercury content | 5.0 mg |
| Mercury-free | No |

Country-specific categorizations

| Order reference | DULUX MTW 8W/82 |
|-----------------|-----------------|
|-----------------|-----------------|

Energy labelling regulation data acc EU 2019/2015

| Light source cap-type (or other electric interface) | E14 |
|---|----------|
| Length | 92.00 mm |
| Height | 41.00 mm |
| Width | 41.00 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4052899202245 | Folding box | 43 mm x 43 mm x 104 mm | 56.00 g | 0.19 dm ³ |
| 4052899202252 | Shipping box 20 | 228 mm x 181 mm x 113 mm | 1233.00 g | 4.66 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.