

PRODUCT DATASHEET DST STICK 23 W/827 110...130 V E27

OSRAM DULUXSTAR® STICK | Compact fluorescent integrated, stick shape



Areas of application

- General illumination
- Domestic applications
- Wherever compact and efficient lamps are needed
- Wherever cold light colors are needed
- Outdoor use in enclosed and ventilated luminaires only

Product benefits

- Fast return on investment
- $-\,$ Up to 80 % less energy consumption compared with ordinary light bulbs

Product features

- Available in 2 light colors: 827 and 865
- Also available in activating light color LUMILUX® Cool Daylight
- Average life: up to 8,000 h



TECHNICAL DATA

Electrical data

Nominal wattage	23 W
Construction wattage	23.00 W
Nominal voltage	110130 V
Nominal current	400 mA
Operating frequency	5060 Hz
Mains frequency	5060 Hz

Photometrical data

Luminous flux	1500 lm
Light color (designation)	Warm White
Color temperature	2700 K
Color rendering index Ra	8089
Light color	827

Dimensions & Weight

Overall length	173.00 mm
Diameter	52,0 mm
Product weight	110.00 g

Additional product data

Base (standard designation)	E27
Mercury content	0.8 mg
Mercury-free	No

Capabilities

Dimmable	
----------	--

Country-specific categorizations

Order reference	DSTAR 23W/827 1
Order relerence	D31A11 23 W/02 / 1

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	173.00 mm
Height	52,0 mm
Width	52,0 mm

Safety advice

- In case of lamp breakage: www.ledvance.com/brokenlamp
- Not for use with external dimmers or electronic switches.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321138385	Folding box 1	55 mm x 55 mm x 188 mm	128.00 g	0.57 dm ³
4008321138392	Shipping box 10	295 mm x 116 mm x 203 mm	1414.00 g	6.95 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.