

## PRODUCT DATASHEET

### DULUX D 10 W/2700 K G24d-1

OSRAM DULUX® D | CFLni, 2 tubes, with 2-pin base for CCG operation



#### Areas of application

- Offices, public buildings
- Shops
- Supermarkets and department stores
- Hotels, restaurants
- Industry

#### Product benefits

- Improved maintenance

#### Product features

- Good color rendering index
- Short and compact pin-base lamp with double-turn tubes
- Single-ended two-pin plug-in G24d base



---

## TECHNICAL DATA

### Electrical data

Nominal wattage	10 W
Construction wattage	10.00 W

### Photometrical data

Light color (designation)	Warm White
Color temperature	2700 K
Color rendering index Ra	80
Light color	827

### Dimensions & Weight

Overall length	112.00 mm
Diameter	12.00 mm
Product weight	33.74 g

### Additional product data

Base (standard designation)	G24d-1
Mercury content	2.5 mg

### Capabilities

Dimmable	No
----------	----

### Country-specific categorizations

Order reference	DULUX D 10W/827
-----------------	-----------------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G24d-1
Length	110.00 mm
Height	12.00 mm
Width	12.00 mm

---

## EQUIPMENT / ACCESSORIES

– Suitable for operation on conventional control gear

---

## Safety advice

– In case of lamp breakage: [www.ledvance.com/brokenlamp](http://www.ledvance.com/brokenlamp)

---

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321830692	Folding box 1	35 mm x 35 mm x 118 mm	40.70 g	0.14 dm <sup>3</sup>
4008321830708	Shipping box 10	186 mm x 81 mm x 132 mm	461.00 g	1.99 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.