

## PRODUCT DATASHEET

### CLAS B FR 60 W 230 V E27

CLASSIC B | Incandescent lamps, classic mini-candle shape



---

#### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or B22d holders (screw or bajonet holders)

---

#### Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

---

#### Product features

- Non-oxidizing aluminum base

---

**TECHNICAL DATA****Electrical data**

Nominal wattage	60 W
Construction wattage	60.00 W
Nominal voltage	230 V

**Photometrical data**

Luminous flux	660 lm
Luminous efficacy	11 lm/W
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027

**Light technical data**

Starting time	0 s
---------------	-----

**Dimensions & Weight**

Overall length	98.50 mm
Diameter	35,0 mm
Product weight	15.1 g

**Additional product data**

Base (standard designation)	E27
Mercury-free	Yes
Design / version	Frosted

**Capabilities**

Burning position	Base down only
------------------	----------------

**Country-specific categorizations**

ILCOS	IBB/F-60-230-E27-35
Order reference	CLAS B FR 60W 2

**Energy labelling regulation data acc EU 2019/2015**

Light source cap-type (or other electric interface)	E27
Length	98.50 mm
Height	35,0 mm
Width	35,0 mm

---

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321411396	Folding box 1	102 mm x 36 mm x 36 mm	23.00 g	0.13 dm <sup>3</sup>
4008321411402	Bundle 10	72 mm x 103 mm x 182 mm	201.00 g	1.35 dm <sup>3</sup>
4052899351059	Bundle 10			
4008321411419	Shipping box 100	371 mm x 222 mm x 194 mm	2208.00 g	15.98 dm <sup>3</sup>
4058075143241	Shipping box 50	371 mm x 191 mm x 116 mm	1138.00 g	8.22 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.