

## PRODUCT DATASHEET

### CLAS P FR 40 W 230 V E14

CLASSIC P | Incandescent lamps, classic mini-ball shape



---

#### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or E14 screw holders (depending on version)

---

#### Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

---

#### Product features

- Non-oxidizing aluminum base

---

**TECHNICAL DATA****Electrical data**

Nominal wattage	40 W
Construction wattage	40.00 W
Nominal voltage	230 V

**Photometrical data**

Luminous flux	400 lm
Luminous efficacy	10 lm/W
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027

**Light technical data**

Starting time	0 s
---------------	-----

**Dimensions & Weight**

Overall length	74.00 mm
Diameter	45,0 mm
Product weight	14.3 g

**Additional product data**

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted

**Country-specific categorizations**

ILCOS	IBP/F-40-230-E14-45
Order reference	CLAS P FR 40W 2

**Energy labelling regulation data acc EU 2019/2015**

Light source cap-type (or other electric interface)	E14
Length	78.00 mm
Height	45,0 mm
Width	45,0 mm

---

**LOGISTICAL DATA**

---

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321411471	Folding box 1	77 mm x 46 mm x 46 mm	15.00 g	0.16 dm <sup>3</sup>
4052899351486	Bundle 10			
4008321411488	Bundle 10	91 mm x 77 mm x 238 mm	203.00 g	1.67 dm <sup>3</sup>
4008321411495	Shipping box 100	468 mm x 167 mm x 242 mm	2280.00 g	18.91 dm <sup>3</sup>
4058075153172	Shipping box 50	468 mm x 242 mm x 90 mm	1175.00 g	10.19 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.