

# PRODUCT DATASHEET

## MS-SV MIC-CS 360 220-240 V IP20

LED VALUE Microwave Motion Sensor | Sensors with microwave technology



---

### Areas of application

- Suitable for indoor applications
- Offices
- Corridors
- Stairways
- Residential interiors
- Commercial buildings

---

### Product features

- 360° motion sensor (microwave technology)
- Ceiling surface and recessed mounting
- Timer function
- Adjustable illuminance from 3 or 10 lx to 2000 lx via knob switch (model dependent)
- Photocell detector available for daylight detection
- Operating frequency: 50/60 Hz
- Ambient temperature in operation: -35...+50 °C
- Type of protection: IP20

**403 Forbidden**

---

## TECHNICAL DATA

### Electrical data

Nominal voltage	220...240 V
Type of current	AC
Mains frequency	50...60 Hz

### Dimensions & Weight

Length	108.00 mm
Width	108.00 mm
Height	25.00 mm
Product weight	97.00 g

### Colors & materials

Product color	White
---------------	-------

### Temperatures & operating conditions

Ambient temperature range	-35...+50 °C
---------------------------	--------------

### Capabilities

Dimmable	No
Maximum installation height	2.2...4 m
Detection area	8 m <sup>1)</sup>
Detection angle	360 °

<sup>1)</sup> Maximum diameter

### Certificates & Standards

Protection class	II
Type of protection	IP20

### LOGISTICAL DATA

Temperature range at storage	-35...+55 °C
------------------------------	--------------

---

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075373075	Folding box 1	115 mm x 36 mm x 120 mm	114.00 g	0.50 dm <sup>3</sup>
4058075373082	Shipping box 10	242 mm x 192 mm x 140 mm	1351.00 g	6.50 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products.

# 403 Forbidden

When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

**403 Forbidden**