

PRODUCT DATASHEET

LN SF Suspension Wire

LINEAR SURFACE SUSPENSION WIRE | Suspension wire for Linear Surface IP44 family



Product benefits

- Suspension wire for easy and quick installation

Product features


- 1 mechanical suspension wire, 1 bracket for fixing the suspension to the luminaire
- Adjustable steel wires, maximum length each: 1.5 m



TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|----------|
| Diameter | 1 mm |
| Product weight | 200.00 g |
| Cable length | 1500 mm |



Materials & Colors

| | |
|---------------|--------|
| Product color | Silver |
|---------------|--------|

Application & Mounting

| | |
|-------------------|---------|
| Mounting location | Ceiling |
|-------------------|---------|

| | |
|--------------------------|----|
| Replaceable light source | No |
|--------------------------|----|

Certificates & Standards

| | |
|--|----|
| Luminaire with limited surface temperature, "D sign" | No |
|--|----|

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------|
| 4058075390089 | BAG 1 | 120 mm x 100 mm x 1 mm | 202.00 g | 0.01 dm³ |
| 4058075390096 | Shipping box 10 | 222 mm x 117 mm x 124 mm | 2148.00 g | 3.22 dm³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.