

PRODUCT DATASHEET IR PAR38 RED 175W 220-240V E27

INFRA-RED PAR38 | Incandescent lamps with reflector for accent lighting



Areas of application

- Agriculture
- Pet Farm
- Industry

Product benefits

- High quality Effective Heat Lamp
- Deep-acting effect for healthy animals
- The PAR design support high intensity
- Fast Heating and Uniform Heat
- E27 base for easy installation

Product features

- Overtemperature protection
- Comfortable warmth with low heat emission to the surroundings
- Pleasant warming effect for Animal
- Input Voltage: 220-240 V
- Beam Angle: 30°
- PAR38 Reflector

TECHNICAL DATA

Electrical data

Nominal wattage	175 W
Construction wattage	175.00 W
Nominal voltage	220240 V
Nominal current	730 mA
Mains frequency	50/60 Hz

Photometrical data

Luminous flux	250 lm
Nominal useful luminous flux 90°	250 lm
Luminous efficacy	1.66 lm/W
Color temperature	1200 K
Light color	12

Light technical data

Beam angle	30 °
Starting time	< 0.5 s

Dimensions & Weight

Overall length	136.00 mm
Diameter	122.0 mm
Product weight	308.00 g

Temperatures & operating conditions

Ambient temperature range	-20+60 °C
Lifespan	

Number of switching cycles	50000
Additional product data	
Base (standard designation)	E27

Country-specific categorizations

Order reference	IR PAR38 RED 17
Order reference	IR PAR38 RED 17

LOGISTICAL DATA

T		
Temperature	range a	t storage

-20...+80 °C

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	136.00 mm
Height	122.0 mm
Width	122.0 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075774148	Folding box 1	115 mm x 115 mm x 140 mm	325.00 g	1.85 dm ³
4058075774155	Shipping box 12	480 mm x 365 mm x 170 mm	4322.00 g	29.78 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.